

531,550

Rec'd PCT 15 APR 2005

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
6 May 2004 (06.05.2004)

PCT

(10) International Publication Number
WO 2004/038653 A1

(51) International Patent Classification⁷: **G06K 19/077**

(21) International Application Number:
PCT/IB2003/004690

(22) International Filing Date: 23 October 2003 (23.10.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
02292649.7 24 October 2002 (24.10.2002) EP
03076180.3 23 April 2003 (23.04.2003) EP

(71) Applicant (for all designated States except US):
SCHLUMBERGER SYSTEMES [FR/FR]; 50 avenue Jean-Jaurès, F-92120 Montrouge (FR).

(71) Applicant (for MC only): **SCHLUMBERGER MALCO**
[US/US]; 9800 reistertown Road, Owings Mills, MD
21117 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SOYER, Alain**

[FR/FR]; Vert Buisson, F-27500 Les Preaux (FR).
NEROT, Dorothee [FR/FR]; 9 impasse du Coq, F-45000
Orléans (FR). **REIGNOUX, Yves** [FR/FR]; 1 rue de la
Millasse, F-45370 Clery Saint-André (FR).


(74) Common Representative: **SCHLUMBERGER SYS-
TEMES**; YQUEL, Vincent, 50 avenue Jean-Jaurès,
F-92120 Montrouge (FR).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR,
KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK,
MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT,
RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR,
TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: DATA SUPPORT HAVING SEVERAL ELECTRONIC MODULES MOUNTED ON THE SAME SURFACE



(57) **Abstract:** A portable object comprises a first side and a second side. The first side is provided with a first electronic information support. The first side is further provided with a second electronic information support.

WO 2004/038653 A1

Rec'd PCT/PTT 15 APR 2005

1

DATA SUPPORT HAVING SEVERAL ELECTRONIC MODULES MOUNTED ON THE SAME SURFACE

Field of the invention

This invention concerns a portable object comprising several electronic
5 information supports and a method to manufacture such a portable object.

The portable object may in particular be a card in ISO 7816 format.

An electronic information support comprises a support body in which an
integrated circuit arranged to store and/or process data is inserted. The
integrated circuit may be included in a module. A module comprises an
10 integrated circuit connected to contact pads via, for example, conducting
wires or conducting balls. The conducting wires and the integrated circuit are
generally coated with a protective resin.

Background of the invention

15 The electronic information support may be, for example, a 2G (2nd generation)
SIM (Subscriber Identity Module) card. A 2G SIM card is generally the part
of a card in ISO 7816 format which is inserted in a mobile telephone. The
electronic information support may also be a 3G (3rd generation) USIM card.
Currently, as illustrated on figure 1, a module (1) is embedded in a card (2)
20 from which a 2G SIM card is cut (3). The 2G SIM card (3) is then personalised
both as regards the software and the graphics. The 2G SIM card (3) can then
be detached from the card (2) ready for use. Thus one single 2G SIM card is
produced per ISO 7816 card (2).

25

Summary of the invention

This is an objective of the invention to offer cost savings.

According to one aspect of the invention, a portable object comprising a first side and a second side, the first side being provided with a first electronic information support, is characterised in that the first side is further provided
5 with a second electronic information support.

The portable object may be in particular a card with the format of a smart card as defined in standard ISO 7816. The electronic information supports
10 may be in particular 2G SIM cards. Several 2G SIM cards may therefore be manufactured from the same card. Consequently, less material is used. In addition, since there are several electronic information supports on the same card and on the same side, the machines can operate at higher rates during the various manufacturing steps. The invention therefore provides a means of
15 reducing manufacturing costs.

Brief description of the drawings

Figure 1 illustrates a module embedded in a card (2) from which a 2G SIM card is cut ; and
20 Figure 2 illustrates a method of manufacturing 2G SIM cards according to the invention.

Detailed description

To provide a better understanding of the invention, we will now describe a
25 special mode of realisation of the invention, using figure 2 as an illustration.

In a printing step IMP, a card (1), preferably initially blank, is advantageously printed, for example with an advertising graphic, to obtain a printed card.

Advantageously the card (1) is a right parallelepiped with the format of a smart card as defined in standard ISO 7816.

In a cavity creation step FRA, four cavities (2) are created in a printed card.
5 The cavities are created, for example, by milling. Advantageously, a cavity comprises two sub-cavities; i.e. a first sub-cavity and a second sub-cavity arranged to house the part of a module which is coated with protective resin. Advantageously, as illustrated on figure 2, the cavities are created on the same side of the card so as to both simplify the manufacturing process and
10 reduce the manufacturing cost. Advantageously, as illustrated on figure 2, the cavities are aligned so as to both simplify the manufacturing process and reduce the manufacturing cost.

In an embedding step ENCAR, modules (3) are cut into a strip of modules for
15 insertion in the cavities of the printed card. An embedded card is therefore obtained.

In a personalisation step PERSO, the embedded card is personalised. The personalisation step comprises:
20 - a software personalisation sub-step in which the integrated circuits of the modules are programmed; and
- a graphic personalisation sub-step in which the areas corresponding to the support bodies of the future 2G SIM cards are graphically personalised. For example, a Personal Identification Number (PIN) can
25 be printed.

In a precutting step PRED, the card may advantageously be marked with a precut line (PL). This precut line (PL) will be used later to cut the 2G SIM cards into the format of a 3G USIM card.

- 5 In a cutting step DEC, four 2G SIM cards are cut in the card (1).

In a verification step VER, the order of the personalised 2G SIM cards is checked. Once the 2G SIM cards have been personalised, in fact, they must be delivered to the customer in order and with no gaps in the numbering.

10

In a packaging step EMB, each 2G SIM card is placed in its associated insert. Consequently, the customer no longer receives a 2G SIM card inserted in an ISO 7816 format card, but instead a 2G SIM card associated with an insert.

- 15 The above description illustrates a portable object comprising a first side and a second side. The first side is provided with a first electronic information support. The first side is further provided with a second electronic information support.

- 20 The description of the special mode of realisation illustrates rather than limits the invention. It is clear that there are numerous alternatives. In this context, the following closing remarks can be made.

- 25 In the above description, the portable object was a card with the format of a smart card as defined in standard ISO 7816. The invention concerns any other portable object with different dimensions and different shape.

In a milling step FRA, cavities are milled out. Techniques other than milling can be used. In particular, the cavities can be obtained by moulding.

In addition, in the above mode of realisation, a card (1) comprises four 2G
5 SIM cards. More generally, it concerns cards comprising at least two 2G SIM cards.

Note that in the above description, the 2G SIM cards are advantageously arranged on the same side of the card (1). However, the 2G SIM cards could
10 also be located on both sides of the card (1). In this case, the two 2G SIM cards are advantageously opposite each other so as to limit the machine modifications whilst keeping the standard configuration.

15 The precutting step PRED, used to precut the 2G SIM cards into the format of a 3G USIM card, may take place before the personalisation step. In addition, this step is optional; it is not a necessary part of the invention.

Note that in the above description, the electronic information supports can be
20 detached from the card. However, the invention also concerns cards comprising electronic information supports, which are not detachable.

Claims

1. A portable object comprising a first side and a second side, the first side being provided with a first electronic information support, the portable object being characterised in that the first side is further provided with a second electronic information support.
2. The portable object according to claim 1, wherein the first and second electronic information support are aligned.
3. The portable object according to claim 1, characterised in that the first electronic information support comprises a support body in which an integrated circuit arranged to store and/or process data is inserted.
4. The portable object according to claim 1, characterised in that the first electronic information support is arranged to be detached from the portable object.
5. The portable object according to claim 1, characterised in that the portable object has the shape of a right parallelepiped with the format of a smart card as defined in standard ISO 7816.
6. Portable object according to claim 2, characterised in that the first electronic information support is a 2G SIM card.
7. Portable object according to claim 6, characterised in that the 2G SIM card comprises a precut area.

8. Method of manufacturing a portable object, the portable object comprising a first side and a second side, the method comprising a first cavity creation step, in which a first cavity is created in the first side, characterised in that the method further comprises a second cavity creation step, in which a second cavity is created in the first side.
9. The method according to claim 8, characterised in that the method further comprises an embedding step in which modules are inserted in the first cavity and in the second cavity.
10. The method according to claim 8, characterised in that the cavities are created by milling.
11. The method according to claim 8, characterised in that the cavities are created by moulding.

1/1




Fig. 1




Fig. 2

INTERNATIONAL SEARCH REPORT

PCT/IB 03/04690

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G06K19/077

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHEDMinimum documentation searched (classification system followed by classification symbols)
IPC 7 G06K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE 198 26 428 A (FREUDENBERG CARL FA ;POINT TEC GMBH (DE); SIEMENS AG (DE)) 23 December 1999 (1999-12-23)	1-9
Y	column 4, line 16-24; figure 6 ---	10,11
X	FR 2 771 199 A (SAGEM) 21 May 1999 (1999-05-21)	1-9
Y	page 3, line 18 -page 4, line 28 ---	10,11
X	DE 199 26 348 A (ORGA KARTENSYSTEME GMBH) 14 December 2000 (2000-12-14)	1-7
Y	column 1, line 1 -column 2, line 64; figure 1 ---	8-11
X	EP 0 495 216 A (ORGA KARTENSYSTEME GMBH) 22 July 1992 (1992-07-22)	1-7
Y	column 1, line 1 -column 3, line 17; figure 1 ---	8-11
	--- -/--	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.*** Special categories of cited documents :**

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

2 February 2004

Date of mailing of the international search report

16/02/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Koegler, L

BEST AVAILABLE COPY

INTERNATIONAL SEARCH REPORT

PCT/IB 03/04690

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 897 784 A (ORGA KARTENSYSTEME GMBH) 24 February 1999 (1999-02-24) paragraph '0023! -----	10
Y	US 6 065 681 A (TRUEGGELMANN UWE) 23 May 2000 (2000-05-23) column 3, line 18-43 -----	11

BEST AVAILABLE COPY

INTERNATIONAL SEARCH REPORT

PCT/IB 03/04690

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
DE 19826428	A	23-12-1999	DE 19826428 A1	23-12-1999
FR 2771199	A	21-05-1999	FR 2771199 A1	21-05-1999
DE 19926348	A	14-12-2000	DE 19926348 A1	14-12-2000
EP 0495216	A	22-07-1992	DE 4040296 C1	09-01-1992
			AT 145077 T	15-11-1996
			DE 59108328 D1	12-12-1996
			EP 0495216 A2	22-07-1992
			ES 2094184 T3	16-01-1997
EP 0897784	A	24-02-1999	DE 19736063 A1	25-02-1999
			AT 217247 T	15-05-2002
			DE 59804029 D1	13-06-2002
			EP 0897784 A1	24-02-1999
			ES 2175563 T3	16-11-2002
			US 2002023962 A1	28-02-2002
US 6065681	A	23-05-2000	DE 19703122 C1	20-05-1998
			FR 2760114 A1	28-08-1998
			GB 2321619 A , B	05-08-1998

BEST AVAILABLE COPY